

archlit reserves the right to make changes without prior notice. (01.02.2024)

AnCar Pendant 3 Chimney in extruded aluminum minimal design lighting fixture with remote drivers (max 60' from fixture) and fiberglass acoustic panels covered in acoustic material (also contributes to the acoustical treatment of the space). Powder-coated finish and diffuser protected with film for even illumination at highest lumen output. 960 lumens delivered per foot, 12 w/foot. Dimmable and non dimmable. Lighting module width 3.25" for downlight and 1x1 inch section for indirect component. Acoustical panels are 1" with NRC of 0.9

## AnCPen3Chim

### AnCar Pendant 3 Chimney

- AnCPen3Chim

#### Lumen Output Direct

30HO - 3000 K 960 lumens / ft 12 w /ft  
 30 - 3000 K 640 lumens / ft 6 w /ft  
 35HO - 3500 K 960 lumens / ft 12 w /ft  
 35 - 3500 K 640 lumens / ft 6 w /ft  
 40HO - 4000 K 960 lumens / ft 12 w /ft  
 40 - 4000 K 640 lumens / ft 6 w /ft  
 Ndown - No downlight

#### Lumen Output Indirect

3011 - 3000 K 780 lumens / ft 7.5 w /ft  
 3008 - 3000 K 560 lumens / ft 5.5w /ft  
 3511 - 3500 K 780 lumens / ft 7.5 w /ft  
 3508 - 3500 K 560 lumens / ft 5.5w /ft  
 4011 - 4000 K 780 lumens / ft 7.5 w /ft  
 4008 - 4000 K 560 lumens / ft 5.5w /ft  
 Noind - No indirect lighting

#### Finish

WH - White  
 BK - Black  
 CU - Custom Specify RAL color

set up charges apply

#### Finish of fabric

CUFa - Acoustical material

Please specify CUFa xx based in attached colors Colors can have differences based on monitors or printers capabilities

#### Dimming

4 - Dimmable 0-10v (4wires, 120 or 277 v)  
 1 - Non Dimmable 277v  
 0 - Non Dimmable 120v



# AnCar Pendant 3 Chimney

AnCar / Pendant

## Runs

B - 2' nominal 26" LED module  
C - 3' nominal 38" LED module  
D - 4' nominal 50" LED module  
E - 5' nominal 62" LED module  
F - 6' nominal 74" LED module  
G - 7' nominal 86" LED module  
H - 8' nominal 98" LED module  
Total Run: (0 ft 0 in)

## Canopy

Sq - Square Plate 4x4 Jbox  
Rd - Round 4" x 4" Jbox

## Suspension Aircraft Cable


36 - 36" max  
100 - 100" max.

## Emergency

00 - No Emergency  
EM - Emergency module max. 4'



## Notes:


Drivers are Remote.max segment length 8'  
Max distance to drivers 60'  
CRI more than 90. McAdam 3 bin



# AnCar Pendant 3 Chimney

AnCar / Pendant





Standard FR70I Acoustic fabric Options



Yellow  
744



Chartreuse  
734



Fir  
743



Leaf  
755



Dune  
749

Proudly woven in the USA



Sunshine  
797



Lime  
721



Teal  
742



Green Neutral  
402




Stream  
757

Flammability (ASTM E84)  
Class I or A




Orange  
746



Sky  
740



Sapphire  
745














Blue Spruce  
467



Verte Papier  
561



While we make every effort to make sure the colors you see here are accurate, colors may vary depending on your screen

				
<b>Cardinal</b> 738	<b>Cobalt</b> 420	<b>Baltic</b> 153	<b>Wedgewood</b> 150	<b>Bayberry</b> 486
				
<b>Red</b> 799	<b>Iris</b> 798	<b>Blue Plum</b> 553	<b>Ultramarine</b> 470	<b>Aquamarine</b> 381
				
<b>Claret Accent</b> 418	<b>Deep Burgundy</b> 556	<b>Black</b> 408	<b>Chocolate</b> 793	<b>Medium Grey</b> 298

Acoustic capabilities by panels. Fabric helps to achieve performance.

## Content


100% post-consumer recycled polyester

				
<b>Wheat</b> 130	<b>Bone</b> 748	<b>Buff</b> 460	<b>Eggshell</b> 144	<b>White</b> 224
				
<b>Eucalyptus</b> 468	<b>Desert Sand</b> 758	<b>Apricot Neutral</b> 404	<b>Quartz</b> 380	<b>Pearl</b> 481
				
<b>Blue Papier</b> 539	<b>Coin</b> 794	<b>Cherry Neutral</b> 400	<b>Vanilla Neutral</b> 403	<b>Opal</b> 394

## Cleaning Code

Standard Care Label W-S. Clean with water based cleaning agents, foam or pure, water free solvents. Vacuuming or light brushing is recommended to prevent dust and soil buildup.





**Crystal Blue**  
175



**Blue Neutral**  
401



**Cinnabar**  
422



**Straw**  
747



**Silver Papier**  
538



**Steel Grey**  
471



**Grey Mix**  
238




**Pumice**  
423



**Light Moss**  
754



**Cement Mix**  
750



**Flannel**  
795



**Amethyst**  
424



**Moleskin**  
796



**Earth**  
792



**Silver Neutral**  
406

NRC panels 1" = 0.85

NRC panels 2" = 1.15

Independent of fabric

### Driver Boxes

