



archlit reserves the right to make changes without prior notice. (12.26.2017)

LeeSti Adagio, extruded aluminum minimal design 1"x 1" lighting fixture with remote drivers (max distance 1006XXXXXX)For ceiling adjustable in the lighting module axis and at the canopy. Arms are the same section and can have different lengths. 3000 K and 2700 K with 1400 lumens and 12.5 w/foot. Dimmable and non dimmable with 0-10v and Triac drivers. Special film for LED allows a continuous and even line of light. Drivers are remote. Damp Location listed.

LAD

LeeSti Adagio

Lumen Output

3017 - 3000 K 1200 lumens / ft 12 w /ft

3014 - 3000 K 1000 lumens / ft 10 w /ft

3011 - 3000 K 780 lumens / ft 7.5 w /ft

3008 - 3000 K 560 lumens / ft 5.5w /ft

3005 - 3000 K 350 lumens / ft 3.1 w /ft

3517 - 3500 K 1200 lumens / ft 12 w /ft

3514 - 3500 K 1000 lumens / ft 10 w /ft

3511 - 3500 K 780 lumens / ft 7.5 w /ft

3508 - 3500 K 560 lumens / ft 5.5w /ft

3505 - 3500 K 350 lumens / ft 3.1 w /ft

WhTu - White tuning 2700K @ 1050 lumens/foot

and 6500k @1200 lumens/foot 12.5 watt/foot

All Uplight versions with light will have a transparent diffuser

Use of programmable drivers allow different outputs (lumen output and load) to fix color temperature versions

Finish

WH - White

BK - Black

CU - Custom Color

Specify RAL color"

Dimming Options

O - Non Dimmable 120v

1 - Non Dimmable 277v

4 - Dimmable 0-10v (4wires, 120/277 v)

Modules

A - 1' nominal module 12.5W

B - 2' nominal module 25w

Emergency

00 - No Emergency

EM - Emergency

Arm

A3 - 3" Arm

A6 - 6" Arm

A12 - 12" Arm

A18 - 18" Arm

A24 - 24" Arm

Notes:

Drivers remote

Max distance to remote drivers 100m™

Canopy

RD - Round 4' x 4' Jbox

SQ - Square Plate 4' x 4'

SG - Single Gang Plate



View 1' nominal lighting module




View 2' nominal lighting module




Plan 1' nominal lighting module




Plan 2' nominal lighting module



Remote Drivers



Driver Box for Dimm 0-10v
NTS



Driver Box Non Dimm and TRIAC drivers
NTS

