


Minuet 5 adjustable

Minuet / Recessed



archlit reserves the right to make changes without prior notice. (04.27.2018)

Minuet is a series of square trimless recessed adjustable in aluminum injection. Damp location certified. A frame in polycarbonate for the frosted diffuser in white. The standard option for the diffuser is flood illumination, special optics with different aperture reflectors can be specified. In case of service of the lighting modules, they can be removed with no tooling. Dimmable and non dimmable, in 2700 K and 3000K. Once installed in the housing, the square can be aligned and fixed in a position by tightening one screw for later mud at sides. Can take a diffuser in the front, but will interfere with the output of the optics if used. High power versions replace HID sources, are dimmable, and on /off with no delays on restarting. These options can be connected to control systems and occupancy sensors.

MT5adj

Minuet 5 Recessed adjustable Trimless

Lumen Output

- 24 - 2,400 lumens 2700k 20w 350 mA
- 25 - 2,500 lumens 3000k 20w 350 mA

Dimming

- 0 - Non Dimmable 120v
- 1 - Non Dimmable 277v
- 2 - Dim TRIAC 120v
- 3 - Dim TRIAC 277v
- 4 - Dim 0-10v (4wires, 120v-277-v)

Housing

- NC - New Construction
- IC - IC Housing

Optics

- 28 - 28 deg beam
- 38 - 38 deg beam
- 45 - 45 deg beam
- N - Frosted diffuser

Finish

- WH - White
- BK - Black
- CU - Custom Color
- Specify RAL color



Emergency

- 00 - No Emergency
- EM - Emergency
- Emergency only for 350 mA (20w)



Minuet 5 adjustable

Minuet / Recessed



Minuet 5 adjustable

Minuet / Recessed

