

archlit reserves the right to make changes without prior notice. (08.09.2023)

AnCar Slots 5, extruded aluminum minimal design lighting fixture with remote drivers (max 60' from fixture). Powder-coated finish and diffuser protected with film for even illumination at highest lumen output. 960 lumens delivered per foot, 12 w/foot. Dimmable and non dimmable. Based on Armstrong WoodWorks linear solid wood panels and WoodWorks linear veneered panels. Lighting module width 5.25". minimum to order 10 panels of each size or consult factory

AnCarSlots5

AnCar Slots 5

AnCarSlots -

Lumen Output

- 30HO - 3000 K 960 lumens / ft 12 w /ft
- 30 - 3000 K 640 lumens / ft 6 w /ft
- 35HO - 3500 K 960 lumens / ft 12 w /ft
- 35 - 3500 K 640 lumens / ft 6 w /ft
- 40HO - 4000 K 960 lumens / ft 12 w /ft
- 40 - 4000 K 640 lumens / ft 6 w /ft

Finish

- WH - White
 - BK - Black
 - CU - Custom Specify RAL color
- set up charges apply

Dimming

- 4 - Dimmable 0-10v (4wires, 120 or 277 v)
- 1 - Non Dimmable 277v
- 0 - Non Dimmable 120v

Runs

- B - 2' nominal 23" LED module
 - C - 3' nominal 35" LED module
 - D - 4' nominal 47" LED module
 - E - 5' nominal 59" LED module
 - F - 6' nominal 71" LED module
 - G - 7' nominal 83" LED module
 - H - 8' nominal 95" LED module
- Total Run: (0 ft 0 in)

Emergency

- 00 - No Emergency
- EM - Emergency module max. 4'







Notes:


Drivers are Remote.max segment length 8'

Max distance to drivers 60'

CRI more than 90. McAdam 3 bin







Driver Boxes

